


H2622

Outer Dimension	66X56X160cm
N. W	29. 6kg
Normal Bars	Φ 3mm
Horizotal StrengthenBars	Φ 4mm
Barspacing	22mm
Tube	18mm




ASSEMBLY INSTRUCTIONS

Item No. :H2622

HARDWARE LIST


(1) M6X12

6PCS



(2) M5X25


24PCS



PART LIST


(A) FRONT PANEL

1PC




(B) LEFT PANEL

1PC




(C) RIGHT PANEL

1PC




(D) BACK PANEL

1PC




(E) LOWER TOP PANEL

2PCS




(F) UPPER TOP PANEL

2PCS




(G) GRILL

1PC




(H) TRAY

1PC




(I) SEED GUARD

4PCS




(J) UPPER PERCH

1PC




(K) BOTTOM PERCH

1PC




(L) HOLDER

3PCS




(M) FEEDER

3PCS




(N) WHEEL

4PCS




STEP 1




Attach front panel A 、back panel D、 left panel B、 right panel C and wheels N with screws to form cage body;

STEP 2




Attach lower top panel E to the top of left panel B and right panel C with screws;

STEP 3




Attach upper top panel F to the top of the cage body and put perch J in cage body;

STEP 4




Slide grill G and tray H into bottom of the cage;

STEP 5



Put the seed guards I in place above the bars around the cage, then attach themselves with screws;

STEP 6



Attach feeder holder L and feeder door with screw and put the feeder M into it, then put the perch K in the cage.